Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	472	(712/215).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/12 10:22
L2	500	(712/217).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/12 10:23
L3	481	(712/218).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/12 10:23
L4	275	(712/219).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/12 10:23
L5	1310	(718/100).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/12 10:23
L6	986	(718/104).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/12 10:23
L7	1	(queue$1 or buffer$1 or cache$1 or list$1) near4 ((head and tail) near4 (pointer$1 or ptr$1)) near4 count$3 near4 (circular or wrap$4 or restart$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/12 10:30
L8	2	(queue$1 or buffer$1 or cache$1 or list$1) with ((head and tail) near4 (pointer$1 or ptr$1)) with count$3 with (circular or wrap$4 or restart$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/12 10:33
L9	18	(queue$1 or buffer$1 or cache$1 or list$1) same ((head and tail) near4 (pointer$1 or ptr$1)) same count$3 same (circular or wrap$4 or restart$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/12 10:34
L10	22	(queue$1 or buffer$1 or cache$1 or list$1) same ((head and tail) with (pointer$1 or ptr$1)) same count$3 same (circular or wrap$4 or restart$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/12 10:52
L11	47	(queue$1 or buffer$1 or cache$1 or list$1) same ((head and tail) same (pointer$1 or ptr$1)) same count$3 same (circular or wrap$4 or restart$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/12 13:47

L12	543	(712/228).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/12 13:50
S1	5	((multi?thread$3) or (simultaneous$2 near4 execut$3)) near4 ((circular or wrap$4) near4 (buffer$3 or queue$3 or storag$3 or memory))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/07 15:24
S2	10	((multi?thread$3) or (simultaneous$2 near4 execut$3)) with ((circular or wrap$4) near4 (buffer$3 or queue$3 or storag$3 or memory))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/07 15:28
S3	15	((multi?thread$3) or (simultaneous$2 near4 execut$3)) same ((circular or wrap$4) near4 (buffer$3 or queue$3 or storag$3 or memory))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/07 15:30
S4	0	((multi?thread$3) or (simultaneous$2 near4 execut$3)) same ((circular or wrap$4) near4 (available or empty or clear or deleted or idle) near4 (slot$1 or space$1 or entr$3 or record$1 or location$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/07 15:33
S5	15	((multi?thread$3) or (simultaneous$2 near4 execut$3)) same ((search$3 or locat$3 or find$3 or determin$3) near4 (available or empty or clear or deleted or idle) near4 (slot$1 or space$1 or entr$3 or record$1 or location$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/07 15:35
S6	454	(712/215).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/10 08:19
S7	472	(712/217).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/10 08:20
S8	447	(712/218).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/10 08:20
S9	246	(712/219).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/10 08:20

| S10 | 1076 | (718/100).CCLS. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/01/10 08:20 |
| S11 | 863 | (718/104).CCLS. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/01/10 08:20 |